

ENCLOSURE A

Baltimore District Regulatory Program

Nationwide Permits Regional Conditions

The following regional conditions are proposed as additions to the requirements contained in the proposed Nationwide Permit (NWP) Regulations (33 CFR Part 330) which were published in the Federal Register on September 26, 2006. Unless otherwise noted, these proposed Regional Conditions are for the Nationwide Permit Regulations, Specific to Work in Maryland, Pennsylvania, the District of Columbia, and military installations of Northern Virginia.

The Baltimore, Pittsburgh, and Philadelphia Districts have issued State Programmatic General Permits (SPGPs) to the Commonwealth of Pennsylvania and the State of Maryland. Because SPGPs are duplicative of some NWPs and offer a more simplified and streamlined regulatory process, the Corps has suspended certain NWPs in Pennsylvania and Maryland. A complete listing of those NWPs currently suspended in Maryland and Pennsylvania is found in the Baltimore District's [Special Public Notice #07-37](#).

If the SPGPs become void, enjoined, suspended, revoked, or removed from effect for any reason, the District will consider reissuance of some or all of the suspended NWPs for the purpose of efficiently and effectively protecting the aquatic environment, while maintaining an acceptable level of responsiveness to the regulated public.

The State-imposed time-of-year restriction applicable to the State Stream Classification, (or as imposed by the Pennsylvania Fish and Boat Commission on streams which are designated as stocked or wild trout streams, or support migratory fisheries in Pennsylvania) shall apply to all nationwide permit activities conducted in a water body, except when such restriction is waived by the State agency.

The Nationwide Permits are applicable to activities that are components of a single and complete project, including all attendant features, both temporary and/or permanent, as defined at 33 CFR 330.2(i) as the total project proposed or accomplished by one owner/developer or partnership or other association of owners/developers, and for which a Department of the Army permit would be required. Therefore, these NWPs may not be used more than once for a single and complete project (e.g., NWP 14 cannot be used twice for one crossing, however, a NWP 14 authorization may be combined with a NWP 18 authorization for a single crossing). In addition, each of the NWPs may be used once as part of a single and complete project.

Nationwide Permit General Condition #2 *Aquatic Life Movement*

Regional General Condition 2a

The permittee shall apply any appropriate time-of-year restrictions to protect the aquatic resources present within the project area and downstream of the project site. See attached addresses of agencies for information on state imposed time-of-year restrictions (Numbers 7, 8 & 9 for Pennsylvania; Numbers 10, 12, & 13 for Maryland; and Number 15 for Washington, DC).

Nationwide Permit General Condition #27 *Pre-Construction Notification*

The following Regional General Conditions are incorporated as part of the terms and conditions of NWP General Condition 27, *Pre-Construction Notification*. It is applicable to all nationwide permits (NWPs) where a pre-construction notification (PCN) is submitted to the District Engineer (DE). This includes the following: (a) those NWPs requiring notification to the DE pursuant to the NWP general conditions #19

and #27, (b) those NWP's requiring notification to the DE pursuant to a regional condition, and (c) any other pre-construction notifications to the DE where an applicant has requested verification of an NWP authorization. The NWP's that require a PCN include NWP's *1, *2, *3, *4, *5, *6, 7, 8, *9, *10, 11, 12, *13, *14, *15, *16, 17, 18, *19, *20, 21, *22, 23, *24, *25, 27, 28, 29, 30, 31, 33, 34, 35, *36, 37, 38, 39, 40, *41, 42, *43, 44, 45, 46, *48, 49, and 50.

**These NWP activities require notification under certain circumstances. Review the NWP authorization, general conditions 19 & 27, or regional conditions to identify these circumstances.*

Regional General Conditions 27a

1. A pre-construction notification (PCN) shall be submitted to the District Engineer for any proposed activity, which would result in impacts, temporary or permanent, to jurisdictional wetlands in the following counties in Pennsylvania: Adams, Berks, Bucks, Carbon (Aquashicola Creek watershed, Chester, Cumberland, Delaware, Lancaster, Lebanon, Lehigh, Monroe, Montgomery, Northampton, York, and Schuylkill (Swatara Creek Watershed) and York.
2. A pre-construction notification (PCN) shall be submitted to the District Engineer for any proposed activity, which would be constructed in the following waterways: Allegheny River (from Kinzua Dam to the Ohio River)(Armstrong, Clarion, Forest, Venango, and Warren Counties); Conewango Creek (Warren County); French Creek (Crawford, Erie, Mercer, and Venango Counties); Conneaut Outlet (Crawford County); Conneauttee Creek (Crawford County); LeBoeuf Creek (Erie County); Muddy Creek (Crawford); Shenango River, Pymatuning Reservoir to Big Bend (Crawford and Mercer Counties); Delaware River (Monroe, Pike, and Wayne Counties). Concurrently, a copy of any PCN to the District Engineer must be forwarded to the U.S. Fish and Wildlife Service (See attached addresses of agencies, Number 2).
3. Where required by the regional conditions of the NWP, the prospective permittee must submit a PCN to the District Engineer for any activity that may adversely affect Essential Fish Habitat (EFH) within the District of Columbia, Maryland, and the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District. The District Engineer will immediately provide (e.g., via email, facsimile transmission, or other expeditious manner) a copy of the PCN, including project description, site location map, project plans, and any ancillary information relevant to the National Marine Fisheries Service's (NMFS') expertise, and an EFH assessment, where appropriate, to the NMFS for individual EFH consultation and coordination. The National Marine Fisheries Service-Chesapeake Bay Office shall then have a 30 day review and comment period from the date of their receipt of the EFH assessment, as provided by the Magnuson-Stevens Act.
4. All pre-construction notifications (PCNs) to the District Engineer shall include all activities that the applicant plans to undertake that are reasonably related to the same project. All PCNs to the District Engineer shall include the following information, where applicable, in addition to the information specified in the nationwide permit conditions:
 - a) Plan(s) of the proposed work on 8-1/2 by 11 inch paper which includes a location map; longitude and latitude; representative photographs of the project site, including wetlands, if present; a delineation of areas within Federal jurisdiction, including wetlands, for the entire project area; existing water depths; depth of any structure(s) below mean low water; height of any structure(s) above mean high water; the maximum distance that the structure(s) or fill will extend channelward of the existing shoreline; the width of the waterway at the project site, the location of any dredged material disposal area, the distance from the edge of any navigation channel and the location of any temporary work, structures, vessels, or fills required for the construction, a copy of any previous Federal or State approvals, and the location and nature of any submerged aquatic vegetation (e.g., eel grass, *Zostera marina*). The PCN shall include a wetland and stream delineation for the entire project area, identified on a scaled plan of the project site. All existing or proposed work in areas of Federal jurisdiction shall be identified on the same-

scaled plan. Further, at the discretion of the District Engineer, the Corps may consider a PCN incomplete if it is determined that field verification of a wetland delineation is required.

- b) Evidence that the prospective permittee has already contacted and received a response from the National Marine Fisheries Service (NMFS) and/or the U.S. Fish and Wildlife Service (FWS) concerning any Federally listed Threatened and Endangered Species that may be affected by the proposed activity. The addresses for these agencies are attached (Numbers 2 & 4 for Pennsylvania; Numbers 3 & 5 for Maryland and Washington, DC).
 - c) Documentation from the appropriate State agency indicating whether the proposed project is located within a State Natural Heritage site, Outstanding National Resource Water, or National Estuarine Research Reserve. (For further information see NWP general condition 25). The addresses for these agencies are attached (Numbers 2, 4, & 7 for Pennsylvania; Numbers 3, 5, 10, 12, & 13 for Maryland; and Numbers 3, 5, & 15 for Washington, DC).
 - d) A written statement describing the following:
 - i. what measures have been taken to avoid impacts to aquatic resources;
 - ii. what measures have been taken to avoid and/or minimize any discharges into Waters of the United States; and
 - iii. what measures have been developed to compensate for the loss of Waters of the United States, including jurisdictional wetlands
5. When a PCN is required to be submitted to the District Engineer, the Corps' review period shall commence with the receipt of a PCN, at the Corps District Office, which has been completed in accordance with the established Corps of Engineers permit application procedures for that locality. The prospective permittee shall not begin the activity until notified in writing by the District Engineer (normally within 30 days) that the activity may proceed under the nationwide permit with any special conditions imposed by the District Engineer.

Nationwide Permit #3 Maintenance

Regional Conditions

1. Prior to doing the work, the prospective permittee must submit a pre-construction notification (PCN) to the District Engineer for any discharge under NWP 3(a) proposing the use of equipment to move material from or across a stream channel as part of the proposed activity for repair, rehabilitation, or replacement (See general condition 27 and regional general conditions 27a).
2. Any PCN to the DE must clearly describe any activity proposing the use of equipment to move material from or across a stream channel.
3. Under the terms of this authorization, the removal of sediment is limited to the minimum necessary to restore the waterway in the immediate vicinity of the structure to the approximate dimensions that existed when the structure was built, but cannot extend further than 50 feet in any direction from the structure, unless specifically authorized by the District Engineer.
4. **Essential Fish Habitat Regional Conditions (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
 - a) **NWP 3(a)-Repair, Rehabilitation, or Replacement Activities:**
 - i. Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any proposed activity affecting more than 10,000 square feet of tidal wetlands and/or tidal waters. The Corps shall provide this PCN to NMFS for individual EFH

consultation and coordination (See general condition 27 and regional general conditions 27a).

- ii. For culvert replacement and repair activities, work in tidal tributary streams and nontidal coastal plain streams shall be prohibited during the period February 15 through June 15 of every year to protect sensitive life stages of anadromous fish, unless specifically waived by the District Engineer in consultation with NMFS.

b. NWP 3(b)-Removal of Accumulated Sediments and Debris in the Vicinity of and Within Existing Structures and the Placement of New or Additional Riprap to Protect the Structure:

- i. Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any proposed activity affecting more than 10,000 square feet of tidal wetlands and/or tidal waters or more than 500 linear feet of tidal tributary stream or nontidal stream in the coastal plain region. The Corps shall provide this PCN to NMFS for individual EFH consultation and coordination (See general condition 27 and regional general conditions 27a).
- ii. Work in tidal tributary streams and nontidal coastal plain streams shall be prohibited during the period February 15 through June 15 of every year to protect sensitive life stages of anadromous fish, unless specifically waived by the District Engineer in consultation with NMFS.
- iii. A low flow channel that permits passage of migratory species shall be incorporated into all activities involving the placement of new or additional riprap in tidal tributary streams and nontidal coastal plain streams.

Nationwide Permit #4 Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities

Regional Condition

This nationwide permit does not authorize activities that cause interference with navigation. No structure can extend into an anchorage area, customary boating channel, navigation fairway, marked, lighted, charted, or Federal Navigation Channel.

Nationwide Permit #5 Scientific Measurement Devices

Regional Condition

Prior to doing the work, the prospective permittee must submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer for any activity, proposing the discharge of greater than 10 cu. yds of dredged or fill material for the construction of small weirs and flumes (See general condition 27 and regional general conditions 27a).

Nationwide Permit #7 Outfall Structures and Associated Intake Structures

Essential Fish Habitat Regional Conditions [Applicable only to tidal and nontidal waters of the Potomac River mainstem from the Governor Harry W. Nice Memorial Bridge (U.S. 301 over the Potomac River) upstream to Great Falls, and tidal streams and nontidal coastal plain streams that are tributary to the Potomac River]:

1. Screening over the mouth of associated intake structures shall have a mesh size no larger than 2 mm;
2. Intake structure velocities shall not exceed 0.5 feet per second; and
3. The intake structure shall be positioned to minimize impingement/entrainment of sensitive life stages (e.g., recessed away from the waterway, positioned perpendicular to the predominant direction of flow).

Nationwide Permit #11 Temporary Recreational Structures

Regional Conditions

1. Prior to doing the work, the prospective permittee must submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer in accordance with the current Corps of Engineers permit application procedures for that locality (See general condition 27 and regional general conditions 27a).
2. For the Delaware River in Pennsylvania, this NWP is applicable only to structures associated with discrete or specific events.

Nationwide Permit #12 Utility Line Activities

Regional Conditions

1. Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any proposed activity in waters of the United States, including jurisdictional wetlands, in accordance with the current Corps of Engineers permit application procedures for that locality (See general condition 27 and regional general conditions 27a).
2. Where water or sewer line installation is proposed in an existing subdivision and would extend service to residential lots containing wetlands which would be filled to construct new homes, the permittee must submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer (See general condition 27 and regional general conditions 27a).
3. Any PCN to the District Engineer that proposes construction of a permanent access road must also justify, to the satisfaction of the District Engineer, that any such permanent fills are necessary, and that temporary access roads are not practicable.
4. **Essential Fish Habitat Regional Conditions (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
 - a) The Corps shall provide the PCN to NMFS for an individual EFH consultation and coordination (See general condition 27 and regional general conditions 27a) for any proposed open-cut pipeline (i.e., pipes carrying gaseous, liquid, liquescent, or slurry substance) that affects a tidal tributary stream and/or nontidal coastal plain stream if:
 - i. The proposed pipeline impacts more than 500 linear feet of a tidal tributary stream and/or nontidal coastal plain stream;
 - ii. The proposed pipeline does not make a direct or perpendicular stream channel crossing; or
 - iii. The proposed pipeline parallels a tidal stream within 100 feet of mean high water or a nontidal coastal plain stream within 100 feet of the ordinary high water mark and is within jurisdictional waters of the United States, including jurisdictional wetlands.
 - b) Where open-cut installation of a pipeline and/or hydrostatic testing of a pipeline that will involve water withdrawals is proposed and the activity will affect tidal tributary streams and/or nontidal coastal plain streams, instream work is prohibited from February 15 through June 15, of any year, to protect sensitive life stages of anadromous fish, unless this time-of-year restriction is specifically waived in writing by the District Engineer in consultation with NMFS.
5. This nationwide permit does not authorize activities on the Chesapeake and Delaware Canal, the Delaware River downstream of the Penn Central Railroad Bridge in Trenton, New Jersey, or the Schuylkill River downstream of Fairmount Dam in Philadelphia, Pennsylvania.

6. **For Aerial Transmission Lines Across Navigable Waters:**

- a) The following minimum clearances are required for aerial electric power transmission lines crossing navigable waters of the United States. These clearances are related to the clearances over the navigable channel provided by existing fixed bridges, or the clearances which would be required by the United States Coast Guard for new fixed bridges, in the vicinity of the proposed aerial transmission line. These clearances are based on the low point of the line under conditions producing the greatest sag, taking into consideration temperature, load, wind, length of span, and type of supports as outlined in the National Electrical Safety Code:

<u>Nominal System Voltage (kV)</u>	<u>Minimum additional clearance (ft.) above clearance required for bridges</u>
115 and below	20
138	22
161	24
230	26
350	30
500	35
700	42
750 - 765	45

- b) Clearances for communication lines, stream gaging cables, ferry cables, and other aerial crossings must be a minimum of ten feet above clearances required for bridges, unless specifically authorized otherwise by the District Engineer.
- c) Corps of Engineer regulation ER 1110-2-4401 prescribes minimum vertical clearances for power communication lines over Corps lake projects. In instances where both this regulation and ER 1110-2-4401 apply, the greater minimum clearance is required.

7. **For Buried Cables and Pipelines Across Navigable Waters and Federal Navigation Channels:**
For all submerged utility lines across navigable waters of the United States, the PCN shall include a location map and cross-sectional view showing the utility line crossing from bank to bank. In addition, the location and depth of the Federal Project Channel shall be shown in relation to the proposed utility line.
8. The stockpiling or sidecasting of excavated material in wetlands shall not exceed 30 days, unless a longer period of time is specifically reviewed and approved by the District Engineer. Any excavated or stockpiled materials shall be stabilized with straw bales, silt fence, or other acceptable methods to prevent reentry into any waterway or wetland.
9. Utility lines installed below the plane of ordinary high water of any stream or waterway shall be constructed under dry conditions, using stream diversions other than earthen cofferdams, unless it is demonstrated to the satisfaction of the District Engineer to be impracticable.
10. Where a utility line is constructed parallel to a stream corridor, an undisturbed buffer shall be maintained between the utility line and the waterway to avoid or minimize potential future impacts to Waters of the United States. These potential impacts would include such issues as sewer line leaks or failures, future stream channel meandering, stream bank instability and failure, and right-of-way maintenance. Measures designed to satisfy this condition must be described in any PCN to the District Engineer.
11. The top of the cable, encasement, or pipeline shall be located a minimum of three feet below the existing bottom elevation of the streambed and shall be backfilled with suitable heavy material to the preconstruction bottom elevation. Where the cable, encasement, or pipeline is placed in rock, a

minimum depth of one foot from the lowest point in the natural contour of the streambed shall be maintained. When crossing a maintained navigation channel, the requirements are a minimum of eight feet between the top of the cable, encasement, or pipeline and the authorized depth of the navigation channel. For maintained navigational channels, where the utility line is placed in rock, a minimum depth of two feet from the authorized depth of the navigation channel shall be maintained.

12. Where the bedding material around the utility line located in a wetland and/or stream would promote drainage of the wetland or stream, clay plugs, impervious membranes, or other state of the art methods shall be placed in the trench to reduce drainage through the backfill material.
13. To the maximum extent practicable, any new utility line shall be constructed by directional bore installation to minimize impacts to the aquatic environment.
14. Within 60 days of completing an activity that involves an aerial transmission line, submerged cable, or submerged pipeline across a navigable water of the United States (i.e., Section 10 waters), the permittee shall furnish the Corps and the National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7317, 1315 East-West Highway, Silver Spring, Maryland, 20910 with professional, certified as-built drawings, to scale, with control (i.e., latitude/longitude, state plane coordinates), depicting the alignment and minimum clearance of the aerial wires above the mean high water line at the time of survey or depicting the elevations and alignment of the buried cable or pipeline across the navigable waterway.

Nationwide Permit #13 Bank Stabilization
Regional Conditions

1. The project design shall minimize the placement of rock and maximize the use of vegetation and organic materials such as root wads to the extent practicable. Riparian plantings shall be included in all project designs to the extent practicable.
2. No material is of the type, or is placed in any location, or in any manner, to impair surface water flow into or out of any waters of the U.S., including jurisdictional wetlands.

Nationwide Permit #14 Linear Transportation Projects
Regional Conditions

1. **Essential Fish Habitat Regional Condition (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any proposed activity affecting more than 5,000 square feet of tidal waters, including jurisdictional tidal wetlands and/or more than 200 linear feet of nontidal coastal plain stream. The Corps shall provide this PCN to NMFS for individual EFH consultation and coordination (See general condition 27 and regional general conditions 27a).
2. Any activity proposing a crossing of a stream or open water shall be designed to maintain continuity of existing benthic habitats and to maintain existing stream flow patterns. This can be achieved through the use of elevated structures, bottomless culverts, or by depressing culverts below the stream bottom. This design requirement must include an on-site inspection of the particular stream or waterbody to determine if it is experiencing erosion, sedimentation, or accretion rates that would alter the bottom elevation. Where a series of culverts are used, only those cells or culverts which carry the base stream flow, shall be depressed. The bottom of any other culverts or cells shall be raised to pass and maintain existing and expected high flows.
3. For public linear transportation projects where the prospective permittee is proposing a new crossing, proposing the replacement of an existing bridge structure with a culvert, or proposing the dualization of an existing facility, the permittee shall include an on-site alternatives analysis that considers the

impact of various size and type structures (i.e. bridges, culverts, pipes, and bottomless culverts) on the following:

- a) Wetland functions, values, acreage
 - b) Wildlife corridor
 - c) Floodplain functions, including, but not limited to, flood storage and nutrient uptake
 - d) Existing or proposed hiker/biker trails and equestrian trails
 - e) Fish passage
 - f) Fisheries habitat and food chain support
 - g) Threatened and Endangered Species
 - h) Stream morphology
 - i) Hydraulic analysis
 - j) Cost
 - k) Consistency with Master Plans
 - l) Movement of debris
4. The crossing must not be used as a berm for a permanent impoundment or in-stream management of stormwater.

Nationwide Permit #15 U.S. Coast Guard Approved Bridges

Regional Condition

Essential Fish Habitat Regional Condition (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):

Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any proposed activity affecting more than 10,000 square feet of tidal waters, including jurisdictional tidal wetlands and/or more than 500 linear feet of nontidal coastal plain stream. The Corps shall provide this PCN to NMFS for individual EFH consultation and coordination (See general condition 27 and regional general conditions 27a).

Nationwide Permit #18 Minor Discharges

Regional Condition

1. Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any proposed activity in waters of the United States, including jurisdictional wetlands, in accordance with the current Corps of Engineers permit application procedures for that locality (See general condition 27 and regional general conditions 27a).
2. **Essential Fish Habitat Regional Condition (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
For any activity associated with a proposed discharge into tidal waters, including jurisdictional tidal wetlands that does not require access or proximity to or sighting within tidal waters and wetlands to fulfill its basic purpose (i.e., is not “water-dependent”), the Corps shall provide the PCN to NMFS for individual EFH consultation and coordination (See general condition 27 and regional general conditions 27a).

Nationwide Permit #23 Approved Categorical Exclusions

Regional Condition

Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer for any proposed activity in waters of the United States, including jurisdictional wetlands, in accordance with the current Corps of Engineers permit application procedures for that locality (See general condition 27 and regional general conditions 27a).

Nationwide Permit #27 Aquatic Habitat Restoration, Establishment, and Enhancement Activities

Regional Condition

Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) to the District Engineer for any activity proposing a discharge into waters of the United States, including jurisdictional wetlands, in accordance with the current Corps of Engineers permit application procedures for that locality (See general condition 27 and regional general conditions 27a).

Nationwide Permit #28 Modifications of Existing Marinas

Regional Condition

Prior to doing the work, the prospective permittee shall submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer (See general condition 27 and regional general conditions 27a). The application must also include plans showing the configuration of existing structures. For projects located on a waterway containing an authorized Federal Navigation Channel, the permittee must also include the distance to the edge of the authorized channel. The District Engineer will add special conditions, where necessary, to ensure those adverse navigation impacts are minimal.

Nationwide Permit #29 Residential Developments

Regional Conditions:

1. Residential Subdivisions:

- a) This NWP does not authorize the construction of ponds, including stormwater management facilities or recreational ponds. In addition, it does not authorize the construction of sewage disposal systems.
- b) Under the terms of this NWP, wetlands, which are located within the platted lot lines of any residential subdivision, will be considered adversely affected, unless the wetlands are protected by conservation easement, deed conveyance or covenants, or any other real estate mechanism that can demonstrate to the District Engineer that these areas will be protected and preserved in perpetuity.

2. Individual Lots (Applicable in Pennsylvania only):

- a) A copy of the PCN required under the terms of the NWP must also be concurrently forwarded to the U.S. Fish and Wildlife Service (FWS) for any activity proposing a discharge into Waters of the United States, including jurisdictional wetlands. The District Engineer will make a final determination regarding the proposed project with consideration of FWS comments. If the FWS has not responded to the District Engineer after 25 days of receipt of the PCN, the District Engineer will proceed with review and verification of the project.
- b) The total area of non-tidal Waters of the United States, including wetlands, lost as a result of the discharge shall not exceed 40% of the total lot area, except for those lots which are less than 0.25 acres in size, in which case the loss of non-tidal Waters of the United States, including wetlands shall not exceed 0.10 acres. In no circumstances may the loss of non-tidal Waters of the United States including wetlands resulting from a discharge authorized by this NWP exceed 0.25 acres. Loss is defined to include any filled area previously permitted, the proposed fill area, and any other Waters of the United States including wetlands that are adversely affected by flooding, excavation, or drainage as a result of the project. The following table provides examples of the permit authorization acreage limitations in effect where the lot size is equal to or greater than 0.25 acres.

Total Acreage Of Lot	40% of Lot	Maximum Loss Area Authorized
0.25 acre	X 0.40	= 0.10 acre
0.33 acre	X 0.40	= 0.13 acre
0.50 acre	X 0.40	= 0.20 acre

>0.50 acre	X 0.40	= 0.25acre

- c) This NWP may be used only once by an individual.
- d) This NWP may only be used for a single-family home for a personal residence by an individual who purchased the lot prior to November 21, 1991.
- e) This NWP may only be used on residential lots with access to a central sewage system which is in place and operational at the time of notification, except in cases where the discharge is for the expansion of an existing residence.
- f) This NWP does not authorize the discharge of fill in Waters of the United States, including wetlands, for the installation or expansion of on-lot septic systems.
- g) This NWP does not authorize the loss of Waters of the United States, including wetlands, located within a 100-year floodplain. Absent any established maps or other information to the contrary, the 100-year floodplain is assumed to extend fifty (50) feet landward from the top of the stream bank.
- h) The pre-construction notification (PCN) to the District Engineer shall include a sketch plan depicting the proposed footprint of fill. The sketch plan shall also include the property dimensions; building setbacks; wetland boundaries; acreage of the proposed wetland loss; location and acreage of any previously permitted wetland fills; location(s) of any streams, drainage courses, and floodplain limits; location of proposed house, driveway, and utilities; and a mitigation proposal (see condition 7 below). The wetland boundary will be determined by a trained wetland delineator. The Corps of Engineers or the Pennsylvania Department of Environmental Protection will provide this service, if requested in writing.
- i) Individuals who wish to use this NWP must compensate for the loss of Waters of the United States including wetlands by one of the following, where the loss of Waters of the United States, including wetlands would be greater than 0.05 acres:
 - i. construct a replacement wetland in accordance with a plan approved by the Corps of Engineers;
 - ii. participate in a wetland mitigation bank approved by the Corps of Engineers;
 - iii. participate in the "in lieu fee" program in Pennsylvania known as the Pennsylvania Wetland Replacement Project in conjunction with the National Fish and Wildlife Foundation Fund Project 95-096. Monetary contributions to the Pennsylvania Wetland Replacement Project shall be as follows:

Acreage of Wetland Impact	Amount of Contribution
Greater than .05 acre up to .10 acre	\$500.00
Greater than .10 acre up to .20 acre	\$1000.00
Greater than .20 acre up to .25 acre	\$2,500.00

Nationwide Permit #30 Moist Soil Management for Wildlife

Regional Condition

Prior to doing the work, the prospective permittee must submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer (See general condition 27 and regional general conditions 27a).

Nationwide Permit #33 Temporary Construction, Access and Dewatering

Regional Conditions

1. Earthen causeways and cofferdams of dredged material shall not be used due to the problem with sedimentation of the waterway during installation and removal of the earthen (fine material) component. Causeways shall consist of only clean rock.
2. Causeways and cofferdams shall extend no more than 1/2 the width of the waterway, and sufficient conveyance of the waterways shall be provided to preclude damage to property or the environment resulting from increased water surface elevations.
3. Temporary crossings of wetlands shall be avoided if an alternate location is possible. Where wetland impacts cannot be avoided, timber mats, construction pads, geotextiles or other similar devices shall be used to avoid consolidation of temporary road materials into the wetland substrate.
4. The pre-construction notification (PCN) shall include a restoration plan for disturbed wetlands and streambanks which includes revegetation with species similar to those that preexisted.
5. **Essential Fish Habitat Regional Condition (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
The Corps shall provide the required PCN to NMFS for individual EFH coordination and coordination (See general condition 27 and regional general condition 27a) for any activity if:
 - a) The activity affects more than 0.5 acre of tidal waters, including jurisdictional tidal wetlands; or
 - b) The activity affects more than 500 linear feet of nontidal coastal plain stream.

Nationwide Permit #35 Maintenance Dredging of Existing Basins

Regional Conditions

1. Prior to doing the work, the prospective permittee must submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer (See general condition 27 and regional general conditions 27a). The application must also include a drawing indicating existing depths for the project site and nearby channel, and a survey of submerged aquatic vegetation in the vicinity of the dredge site, and plans indicating the dimensions (width and depth) and the approximate date of previous dredging, and identifying the location of the upland disposal site(s).
2. Maintenance dredging authorized by nationwide permit #35 shall be limited to the dimensions (width and depth) of previously authorized dredging.
3. This nationwide permit does not authorize activities on the Chesapeake and Delaware Canal, the Delaware River downstream of the Penn Central Railroad Bridge in Trenton, New Jersey, or the Schuylkill River downstream of Fairmount Dam in Philadelphia, Pennsylvania.
4. **Essential Fish Habitat Regional Condition (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
The Corps shall provide the PCN to NMFS for individual EFH consultation and coordination for any proposed activity (See general condition 27 and regional general condition 27a).

Nationwide Permit #36 Boat Ramps

Regional Conditions

(Applicable in Maryland and the District of Columbia)

1. The length of boat ramps authorized by nationwide permit #36 shall not exceed 30 feet channelward of the mean high water line nor 25% of the width of the waterway.
2. Where the water depth at the proposed ramp is less than 2 feet at mean low water, the permittee must submit a pre-construction notification (PCN) (Corps-only Notification) to the District Engineer (See general condition 27 and regional general conditions 27a).
3. Construction material must be clean rock or stone free of fine materials such as silt, clay or sand to preclude more than minimal detrimental impacts to the waterway from turbidity and sedimentation effects.

(Applicable in Pennsylvania)

1. This nationwide permit does not authorize activities on the Chesapeake and Delaware Canal, the Delaware River downstream of the Penn Central Railroad Bridge in Trenton, New Jersey, or the Schuylkill River downstream of Fairmount Dam in Philadelphia, Pennsylvania.
2. Construction material must be clean rock or stone free of fine materials such as silt, clay or sand to preclude more than minimal detrimental impacts to the waterway from turbidity and sedimentation effects.

Nationwide Permit #39 Commercial and Institutional Developments

Regional Conditions

1. This NWP does not authorize the construction of ponds, including stormwater management facilities or recreational ponds. In addition, it does not authorize the construction of sewage disposal systems.
2. Under the terms of this NWP, wetlands, which are located within the platted lot lines of any commercial, or institutional development, will be considered adversely affected, unless the wetlands are protected by conservation easement, deed conveyance or covenants, or any other real estate mechanism that can demonstrate to the District Engineer that these areas will be protected and preserved in perpetuity.

Nationwide Permit #40 Agricultural Activities

Regional Conditions

1. Waters of the U.S., including wetlands, must be avoided where non-waters of the U.S. alternatives are available.
2. Pond construction must be of the minimum size required for the farming use.
3. In stream ponds should be avoided to the maximum extent practicable

Nationwide Permit #42 Recreational Facilities

Regional Condition

(Applicable in Pennsylvania)

A copy of the pre-construction notification (PCN) required under the terms of the NWP must also be concurrently forwarded to the U.S. Fish and Wildlife Service (FWS) for any activity proposing a discharge into Waters of the United States, including jurisdictional wetlands. The District Engineer will make a final determination regarding the proposed project with consideration of FWS comments. If the FWS has not responded to the District Engineer after 25 days of receipt of the PCN, the District Engineer will proceed with review and verification of the project.

Nationwide Permit #48 Existing Commercial Shellfish Aquaculture Activities

Regional Condition

1. Prior to doing the work, the prospective permittee must submit a pre-construction notification (PCN) to the District Engineer for any proposed activity in waters of the United States, including jurisdictional wetlands (See general condition 27 and regional general conditions 27a).
2. **Essential Fish Habitat Regional Conditions (Applicable only to the District of Columbia, Maryland, and activities affecting the Potomac River watershed within military installations of Northern Virginia in the regulatory geographic boundaries of the Baltimore District):**
 - a) The Corps shall provide the PCN to NMFS for individual EFH consultation and coordination for all activities proposing to relocate existing operations into portions of the project area not previously used for aquaculture activities (See general condition 27 and regional general condition 27a).
 - b) This NWP does not authorize activities for the cultivation and/or introduction into tidal waters of shellfish species that are not indigenous to the Chesapeake Bay and its tributaries and the Maryland coastal bays.
 - c) This NWP does not authorize activities for the mining of subtidal fossil shell deposits in the waters of the Chesapeake Bay and its tributaries for use as cultch for a shellfish cultivation operation.
 - d) Shellfish introduced into tidal waters of the Chesapeake Bay and its tributaries, or in the Maryland coastal bays, must be certified (under Maryland standards) as being disease and parasite free.

Nationwide Permit 49 Coal Remining Activities

Regional Condition

The pre-construction notification (PCN) to the District Engineer shall also include detailed site development, mining, and reclamation plans (as required by others) for any proposed activity in non-tidal waters of the United States, including jurisdictional wetlands (See general condition 27 and regional general conditions 27a).

Nationwide Permit 50 Underground Coal Mining Activities

Regional Condition

The pre-construction notification (PCN) to the District Engineer shall also include detailed site development, mining, and reclamation plans (as required by others) for any proposed activity in non-tidal waters of the United States, including jurisdictional wetlands (See general condition 27 and regional general conditions 27a).

SPECIAL NOTES:

1. Where the State or the District of Columbia (District) has denied 401 WQC and/or not concurred with the Corps' CZM consistency determination for a NWP authorization, the prospective permittee should contact the State/District to obtain an activity specific review and approval by the State/District prior to submitting any required pre-construction notification (PCN) to the Corps of Engineers.
2. The attached addresses should be used for notification to those agencies required by regional conditions.

U.S. Army Corps of Engineers

September 2007

List of Agencies:

(1)Environmental Protection Agency
1650 Arch Street - 3ES42
Philadelphia, Pennsylvania 19103-2029

(2)U.S. Department of the Interior
Fish and Wildlife Service
315 South Allen Street, Suite 322
State College, Pennsylvania 16801-4850

(3)U.S. Department of the Interior
Fish and Wildlife Service
177 Admiral Cochrane Drive
Annapolis, Maryland 21401

(4)National Marine Fisheries Service
Habitat Conservation Division
74 Magruder Road, Sandy Hook
Highlands, New Jersey 07732

(5)National Marine Fisheries Service
Chesapeake Bay Office
410 Severn Ave., Suite 107A
Annapolis, Maryland 21403

(6)Pennsylvania Historical & Museum
Commission
Bureau of Historic Trust
P.O. Box 1026
Harrisburg, Pennsylvania 17110

(7)Pennsylvania Fish & Boat Commission
Bureau of Fisheries & Engineering
450 Robinson Lane
Bellefonte, Pennsylvania 16823-9616

(8)Pennsylvania Department of
Environmental Protection
Division of Waterways, Wetlands & Erosion
Control
P.O. Box 8775
Harrisburg, Pennsylvania 17105-8775

(9)Pennsylvania Game Commission
2001 Elmerton Avenue
Harrisburg, Pennsylvania 17110-9797

(10)Maryland Department of Natural
Resources
Environmental Review, B-3
Tawes State Office Building
580 Taylor Avenue
Annapolis, Maryland 21401

(11)Maryland Historical Trust
Division of Historical & Cultural Programs
100 Community Place
Crownsville, Maryland 21032-2023

(12)Maryland Department of the
Environment
Water Resources Administration
Tidal Wetlands Division
Montgomery Park Business Center, Ste 430
1800 Washington Boulevard
Baltimore, Maryland 21230-1708

(13)Maryland Department of the
Environment
Non-tidal Wetlands and Waterways
Division/CZC Unit
Montgomery Park Business Center, Ste 430
1800 Washington Boulevard
Baltimore, Maryland 21230-1708

(14)District of Columbia State Historic
Preservation Officer
441 4th Street, NW
Washington, DC 20002

(15)District of Columbia Department of the
Environment
Water Quality Division
51 N Street, NE, 5th Floor
Washington, DC 20002